

USHA®



INSTRUCTION MANUAL

Window Cooler (AZZURO)

Portable Evaporative Air Cooler

OWNER'S MANUAL

Read and save these instructions before use

USHAcare™

Toll free
1800-1033-111

USHA INTERNATIONAL LTD.

Plot No.15, Institutional Area, Sector 32, Gurgaon - 122 001 (Haryana) India, Tel : +91-124-4583100, Fax : +91-124-4583200
E-mail: usha_care@ushainternational.com Website : www.ushainternational.com
Regd. Office : Surya Kiran Building, 19 Kasturba Gandhi Marg, New Delhi(India) Tel : +91 11 23318114 Fax : +91 11 23318118

ISO 9001:2008
Certified Company



Fans • Sewing Machines • Home Appliances • Engines & Pumpsets • Electrical Motors & Pumps • Water Coolers & Dispensers
• Inverters • Cook Tops, Hobs & Hoods • Auto Components

USHA

© Registered Trademark and Copyright of USHA INTERNATIONAL LTD.



© Registered Trademark of USHA INTERNATIONAL LTD.



Model -CW-502

Power rating: 240 Watts

Voltage rating: 230V AC, 50Hz

QUICK START GUIDE



Fill the tank with water and plug the cooler in standard power outlet socket.
Note: Please make sure the household power voltage matches the product specifications.

Place near an open door or window.

Place the cooler in front of an open door or window. Ensure that there is adequate cross-ventilation in the room by leaving a door or window open opposite the cooler



Turn ON and enjoy the cooling breeze.

Note: Start with low speed and gradually increase to higher speed for optimum cooling performance.

INDEX

Read all instructions carefully before setting up and operating the cooler, and please keep this instruction manual for future reference. This manual is designed to provide you with important information needed to setup, operate, maintain, and troubleshoot your cooler. Failure to follow these instructions may damage and/or impair its operation and void the warranty

SECTION PAGE

Thank You	4
User Tips	5
Safety	7
Parts Description	9
Uses & Operation	
Control Panel	10
Control Knobs	10
Filling Water	12
Cleaning & Maintenance	13
Troubleshooting Guide	15
Technical Specifications	16
Electrical Wiring Diagram	16
Service And Warranty	17

THANK YOU

Congratulations on your purchase of this versatile USHA Evaporative Air Cooler. For optimum cooling from your cooler, fill the water tank to maximum level before you turn on your air cooler.

Cooler Location (Important - Please Read!)

The Evaporative Air Cooler should not be used in enclosed spaces. It must be kept level and there must be water in the water tank. Doors and windows should be opened to allow free air flow. The Evaporative Air Cooler works best when placed near an open window, so that outside air is drawn into the Evaporative Air Cooler, circulates in the room, then exits via the door. Keep distance of minimum 0.5 meters from the wall. The maximum cooling effect is felt when a person is near the flow of air coming out of the Evaporative Air Cooler.


Not an Air Conditioner (Important - Please Read!)

The evaporative air cooler is not an air conditioner as it does not use a compressor or refrigerant gas. It should not be expected to cool as efficiently as a refrigerated air conditioner

USER TIPS

Energy efficient, No compressor

USHA Evaporative Air Coolers are built to maximize energy efficiency and keep costs low. Warm air is drawn into the cooler through the Honeycomb Cooling Media. Water pumped from the tank pours over the honeycomb media. As the warm air passes through the media, the water absorbs the heat, naturally cooling and humidifying the air. A fan propels the cooled air out into the room. This no-compressor system cools naturally, efficiently and inexpensively.



USER TIPS

The recommended maximum relative humidity level is 60% or less, which allows a noticeable temperature decrease. The temperature decrease will be greater in drier climates because higher evaporation occurs when the humidity is low.

The evaporative air cooler should not be used in enclosed spaces. It must be kept level and there must be water in the water tank. The room should have doors and windows opened to allow free air flow. The evaporative air cooler works best when placed near an open window, so that outside air is drawn into the evaporative air cooler, the air circulates in the room, then exits via the door. The maximum cooling effect is felt when a person is in the flow of air coming out of the evaporative air cooler.

NOTE

When the product is used for the first time the Honeycomb cooling media will have an odor which will dissipate in a week or so of initial use



Room with open windows & door (RECOMMENDED)




Room with closed windows & door (NOT-RECOMMENDED)

SAFETY

READ AND SAVE THESE INSTRUCTIONS:

When using electrical appliances, basic safety precautions should always be followed:


- Your cooler runs on 230 Volt AC, 50 Hz. Check the household voltage to ensure it matches the appliance's rated specification.
- Before operating the product remove it from its packaging and check that it is in good condition.
- DO NOT operate any product with a damaged cord or plug. We recommend not using an extension cord with this appliance.
- DO NOT run power cord under carpeting, or cover it with rugs or runners. Keep the cord away from areas where it may be tripped over.
- Always unplug the product before refilling the water tank.
- Always unplug the appliance from the power source before cleaning, servicing or relocating the unit.
- Remove the power cord from the electrical receptacle by grasping and pulling on the power cord plug-end only, never pull the cord.
- DO NOT use the product in areas where gasoline, paint or other flammable goods and objects are stored.
- When using the "Pump" setting, check the water tank to ensure that it is full. Operation of this cooler on the "Pump" setting with an empty tank may result in damage to the water pump.
- DO NOT attempt to repair or adjust any electrical or mechanical functions of the cooler, as this may void the warranty.



SAFETY

Check the household voltage to ensure it matches the appliance's rating specifications.
 Before operating the product, remove the packaging and check that product is in good condition.
 DO NOT operate with a damaged cord or plug. If the supply cord is damaged, it must be replaced with a supply cord which is as per manufacturers specifications, by the authorized service centre or its service agent or a similarly qualified person in order to avoid a hazard.
 DO NOT use an extension cord with this unit.
 DO NOT run power cord under carpeting, or cover it with rugs or runners. Keep the cord away from areas where it may be tripped over.
 Always ensure the water tank is filled with water above the "min." level mark, when operating the air cooler in evaporative COOLING mode.
 Always unplug the Air Cooler before refilling the water tank, cleaning, servicing or relocating the unit. Never pull the cord. Remove it from the electrical outlet/ socket by grasping and pulling on the plug-end of the cord.
 This appliance has been manufactured for use in domestic environments and must not be used for other purposes.
 DO NOT use in areas where gasoline, paint or other flammable goods and objects are stored.
 When using the COOL setting, make sure the water tank is at Max Indicator Level. Operating the unit on the COOL setting with an empty tank may result in damage to the water pump.
 DO NOT attempt to repair or adjust any electrical or mechanical functions of the Air Cooler, as this may void the warranty.
 DO NOT cover the cooler's air inlet or outlet, as this may damage the motor.
 DO NOT insert or allow objects to enter any ventilation or exhaust opening, as this may damage the unit and may cause electrical shock or fire.
 DO NOT operate with the Honeycomb Cooling Media removed, as this will overload and damage the motor.
 DO NOT leave the operating appliance unattended for an extended period of time.
 DO NOT allow children to play with this appliance, packaging or plastic bags.
 DO NOT continue to operate the unit if it is damaged or if it malfunctions. Refer to the TROUBLESHOOTING section and contact the CUSTOMER SUPPORT CENTER.
 Always place the unit on a dry level floor.
 DO NOT use in bathrooms or near water. DO NOT keep the product where it may fall into a water container.
 Store in a dry area when not in use.
 This appliance is not intended for use by persons (including children or elderly) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instructions concerning the use of the appliance by a person responsible for their safety.
 Always grip the side handles to move the Air Cooler.
WARNING: To reduce the risk of fire or electric shock, do not use this appliance with any solid state speed control device.


PARTS DESCRIPTION



1. **Mains/Speed Knob:** Turn clockwise to High/Medium/Low to select desired fan speed
2. **Swing Knob:** Turn clockwise to switch on vertical louver swing for air distribution. Stop at desired position of vertical louver for getting focussed air delivery
3. **Cooling Pads**
4. **Horizontal Louver Control Switch:** Shift Up & Down to control horizontal air flow
5. **Cooling Control Switch:** Pull up to switch on the pump and start flow of water on the cooling pads. Pull down to stop cooling function.
6. **Water Level Indicator:** To check water level. Fill water up to Maximum level only.
7. **Water Inlet Vent:** Rotate the water inlet vent to open the inlet and close back by rotating after filling water.

USE & OPERATION

CONTROL PANEL



CONTROL KNOBS

Speed/ ON- OFF


Connect to the power supply and turn the SPEED knob. The fan will start. Change the speed from “Low” for Low speed, to “Medium” for Medium speed and to “High” for High speed. To switch the unit OFF, turn the SPEED knob to “0”.



SWING

Vertical Louvers

Turn the SWING knob to “ON”. The louvers will begin to move from right to left automatically.



USE & OPERATION

CAUTION

Unplug from power when refilling.

FILLING WATER

Water can be filled into the air cooler by:

Continuous water supply (Auto Refill)

Connect a garden hose to the continuous water supply inlet (Reference product picture on page 9).

FILLING WATER (MANUAL)

Do not fill water above the max water level mark.

USE & OPERATION

FILLING WATER (CONTINUOUS WATER SUPPLY CONNECTION)

Connect water pipe to the continuous water supply connector located on the lower left side panel. Secure the connector with the pipe so that there is no leakage and turn on the water supply.

With the help of the water auto-refill mechanism, water inside the tank will refill automatically.


Every time the water comes below the minimum level, the water float valve will detect it and will start the water flow inside the tank. In the same way it also stops water in-flow when reaching the maximum level.

This is an automated process and will not require you to refill the water tank manually.

Plug the unit into the power supply and turn the unit on.

INSTALLING HOSE ADAPTER AND FLOAT VALVE

- Connect the garden hose Connector and turn on the water.
- Verify water tight connections by visually examining.



CLEANING & MAINTENANCE

IMPORTANT

- The cooler is supplied with Honeycomb Cooling Media.
- The cleaning frequency for the Honeycomb media depends on local air and water conditions. In areas where the mineral content of water is high, mineral deposits may build up on the Honeycomb Cooling Media and restrict air flow. Draining the water reservoir and refilling with fresh water at least once a week will help reduce mineral deposits. If mineral deposits remain on the Honeycomb media, the media should be removed and washed under fresh water. The media should be cleaned every two months or sooner, depending on your needs. Do not run the unit in PUMP mode with stale water in the tank. Empty the tank and refill it with fresh water if the water has been standing in the tank for an extended period of time.
- For best results, allow the Honeycomb Cooling Media to dry after each use by turning off the cool function 15 minutes before turning the unit off.
- Draining the water reservoir and refilling with fresh water at least once a week will greatly reduce mineral deposits in the pads and help to extend the life of Honeycomb Cooling Media

WARNING

- Before cleaning the unit, switch it to the "off" position and remove the plug from the power socket.
- To clean the outside, use a damp cloth to remove dirt and dust.
- Never use corrosive elements or any chemicals to clean this product.
- When the product is not in use, store the unit in a dry place out of direct sunlight.
- Maximum water inlet pressure 0.5MPa

CLEANING & MAINTENANCE

DRAINING AND CLEANING THE WATER TANK

- Turn the power “off” and disconnect the air cooler from the power supply.
- Move the unit to a location where it can be drained. Remove the cap from the water drain plug and allow the tank to empty lower left side
- After you have drained the water tank, please connect the water drain plug to its original position.
- Now refill the water tank up to Max level, wait for 5 min. and then drain the entire water once again. Use clean water for this procedure, so that maximum dust particles and remains are completely removed.
- If your cooler has not been used for a long duration, we advise you to clean the water tank at least 2 times before it is used again.

CLEANING THE HONEYCOMB MEDIA

- Turn off the unit, and unplug the power cord from wall outlet Rotate the unit facing the back panel, and locate the Rear Grill
- Remove the screws with a screw driver.
- Pull the rear grill panel upwards, until it is completely removed. Now, the honeycomb media can be seen. Clean the honeycomb media with fresh water.
- Once the cleaning has been completed, assemble the unit as described above.
- Plug into the power supply and turn unit on.


TROUBLESHOOTING GUIDE

No discharge of air	Cord is not plugged in	Make sure power cord is plugged in and the supply switch is on.
	Power is not on	Turn the unit ON by changing the mechanical knob position of the control panel
	Motor Faulty	Contact Service centre
Not Cooling / Unit is making noise	Pump is not turned ON	On control Panel. Turn COOL FUNCTION TO “ON”
	Low or no water in tank, when COOL is selected	Refill water tank.
	Damaged Pump	Contact service centre.
Odor omission	When the Cooler is new	When the unit is used for the first time, the Honeycomb Cooling Media will have an odor, which will dissipate within a week of initial use. This is normal.
	If the Cooler has been used. There may be an algae issue.	Water is stale Clean the tank and fill with fresh water.
		Clean the Honeycomb Media. If problem persists contact the service centre.

TECHNICAL SPECIFICATIONS

Model No	CW 502
Voltage	230V
Frequency	50Hz
Wattage	240W
Water Tank Capacity	50L
Cooling Media	Honeycomb
Product Dimension	555(L) X 565(W) X 670(H)
Net Weight	12.8Kg

ELECTRICAL WIRING DIAGRAM



SERVICE AND WARRANTY

This appliance is warranted for 1 year against all manufacturing defects from the date of sale. In the event of any complaint, please contact USHA Care at Toll Free No. 1800 1033 111.

The warranty is valid only when:

- 1) The appliance has been installed, used and maintained in accordance with the instruction manual.
- 2) The warranty card and cash memo duly signed by the authorized dealer are presented with the complaint.
- 3) The appliance has not been opened or tampered with, by any unauthorized person.

This warranty does not apply for:

- 1) Damages due to chipping, peeling, plating and denting.
- 2) Breakage or damage to components made out of Bakelite, Urea, ABS, SAN and such plastic materials, rubber parts and cord.
- 3) Normal wear and tear of parts.
- 4) Damage resulting from accidents, mishandling or negligence on part of the customer.

Liability for consequential loss or damage is neither accepted nor implied.

S.NO: _____

CASH MEMO _____ DATE: _____

DEALER'S NAME AND ADDRESS: _____

OWNER'S NAME & ADDRESS: _____

